

CONTENTS

<i>Sorrenti M., Di Sciuva M., Majak J., and Auriemma F.</i> Static response and buckling loads of multilayered composite beams determined using the refined zigzag theory and the higher-order Haar wavelet method.....	3
<i>Sheshenin S. V., Artamonova N. B., Klement'ev P. D., Kiselev F. B., Muradkhanov R. R., Orlov E. A., Zhang Qiang.</i> Study of the elastic and elastoplastic properties of a dispersed composite based on computational experiments.....	27
<i>Pupurs A., Loukil M., and Varna J.</i> Bending stiffness of damaged cross-ply laminates	45
<i>Buslaeva O. S., Sapozhnikov S. B., Bezmelnitsyn A. V., Ignatova A. V., Kudryavtsev O. A.</i> Thin indicator films to assess the residual strength of a GFRP after a local contact action	69
<i>Tupciauskas R., Veveris A., Andzs M., Gravitis J., Liitia T., and Tamminen T.</i> Investigation of a grey alder particleboard bonded by different industrial side-stream lignins	83
<i>Uymaz B.</i> Buckling characteristics of FGM plates subjected to linearly varying in-plane loads	97
<i>Sahu P. and Gupta M. K.</i> Dynamic mechanical properties of a biocomposite reinforced with sodium-bicarbonate-treated sisal fibers at different frequencies	113
<i>Kondratiev A. V. and Gaidachuk V. E.</i> Mathematical analysis of technological parameters for producing superfine prepregs by flattening carbon fibers.....	125
<i>Gao D. Y., Yao W. X., Wen W. D., and Huang J.</i> Equivalent spectral method to estimate the fatigue life of composite laminates under random vibration loadings.....	139
<i>Yu T. C., Nie G. J., Zhong Z., Chu F. Y., and Cao X. J.</i> Analytical solution of the bending problem for rectangular orthotropic plates with a variable in-plane stiffness	161
Notes for contributors	175

CONTENTS

<i>Janeliukstis R. and Mironovs D.</i> Smart composite structures with embedded sensors for load and damage monitoring. A review	189
<i>Shil'ko S. V., Chernous D. A., Panin S. V., and Choe H.</i> A method for predicting the parameters of plastic deformation of dispersedly reinforced materials by using a modified Mori–Tanaka model.....	223
<i>Akbarov S. D. and Bagirov E. T.</i> Dispersion of torsional waves in a hollow bilayered cylinder with initial inhomogeneous thermal stresses	233
<i>Davar A., Azarafza R., Fayez M. S., Fallahi S., and Jam J. E.</i> Dynamic response of a grid-stiffened composite cylindrical shell reinforced with carbon nanotubes to a radial impulse load	261
<i>Atlukhanova L. B., Kozlov G. V., and Dolbin I. V.</i> Theoretical estimation of the shearing strength of polymer/carbon nanotube contact: A fractal model.....	291
<i>Yao L., Wang Sh., Meng X., and Zhang Ch.</i> Numerical and experimental investigation of the burst resistance of glass-fiber thermoplastic composite pipes under internal pressure	299
<i>Nurullaev E. M.</i> The influence of γ -radiation on the structure and mechanical characteristics of a polymer composite material based on low-molecular rubbers	319
<i>Mironov A., Doronkin P.</i> An analysis of sensitivity of the monitoring system of helicopters to faults of their blades	331
<i>Khan M. ZR., Srivastava S. K., and Gupta M. K.</i> Characterization of TiO ₂ microparticle-blended polymer-based hybrid wood particulate composites	351
<i>Yin D. Ya., Zhu Ch. F., Chen X. Ch., and Bao J. S.</i> Finite-element analysis and an experimental study into the water jet reaming process of carbon-carbon composites.....	365
<i>Shebanov S. M.</i> Extreme values of the strength of single filaments and threads of a paraaramide fiber after its treatment by a water suspension of carbon nanoparticles.....	381

CONTENTS

<i>Sheshenin S. V. and Yikun Du.</i> Homogenization of rubber-cord layers at moderately large deformations.....	395
<i>Malakhov A. V., Polilov A. N., Li D., and Tian X.</i> Increasing the bearing capacity of composite plates in the zone of bolted joints by using curvilinear trajectories and a variable fiber volume fraction.....	411
<i>Mitrofanov O.</i> Evaluation of the buckling stability and geometrically nonlinear behavior of square composite panels of an unsymmetrical structure in shear	429
<i>Ślawski S., Kaczmarczyk J., Szymiczek M., and Pakieła W.</i> Numerical studies on the influence of a reinforcing material on the energy absorption in a multilayered composite during impacts	441
<i>Aydın L., Artem H. S., and Deveci H. A.</i> Single- and multiobjective optimizations of dimensionally stable composites using genetic algorithms.....	457
<i>Lvov G. I.</i> Using the concept of imposed constraints in the plasticity theory of composites	481
<i>Chepurnenko A. S., Litvinov S. V., and Yazyev S. B.</i> Combined use of contact layer and finite-element methods to predict the long-term strength of adhesive joints in normal separation	501
<i>Gilev V. G., Rusakov S. V., Chudinov V. S., Rakhmanov A. Yu., and Kondyurin A. V.</i> Modeling the curing kinetics of an epoxy binder with disturbed stoichiometry for a composite material of aerospace purpose	517
<i>Li Y. D., Luo H. B., Yan Y., Ye J. X., and Guo F. L.</i> Experimental and finite-element analysis of metal-inserted filament-wound composite tubes	535
<i>Bakar M., Przybyłek M., Bialkowska A., Żurowski W., Hanulíkova B., and Stoček R.</i> Effect of mixing conditions and montmorillonite content on the mechanical properties of a chloroprene rubber	553
<i>Xiao Y., Li Zh., Liu Zh., Zang M., and Zhu Y.</i> Effect of material design and weak link setting on the energy absorption of composite thin-walled beams under transverse loading	573
<i>Jiang Y. P., Wu J., and Zhu Y.</i> A mesoscopic model for particle-filled composites with network microstructures.....	591

CONTENTS

<i>Belov P. A. and Lurie S. A.</i> Development of the “separated anisotropy” concept in the theory of gradient anisotropic elasticity	611
<i>Yankovskii A. P.</i> Analysis of thermal response in reinforced plates under a dynamic explosion-type loading	629
<i>Hwang S. F. and Wu C. Y.</i> Impact behavior and energy absorption of composite tubes made from fiber fabrics or prepregs	645
<i>Garbin D. F., Tonatto M. L. P., and Amico S. C.</i> Compressive and flexural behavior of fiberglass/polyurethane sandwich panels: experimental and numerical study	659
<i>Sheshenin S. V., Gritchenko M. E., and Chistyakov P. V.</i> Averging the viscoelastic properties of a rubber-cord ply in a plane stress state	673
<i>Boiko D. S. and Tokovyy Y. V.</i> Determination of three-dimensional stresses in a semi-infinite elastic transversely isotropic composite	689
<i>Serdyuk A. O., Serdyuk D. O., Fedotenkov G. V.</i> Stress-strain state of a composite plate under the action of a transient movable load	705
<i>Demircan G., Kisa M., Ozen M., and Acikgoz A.</i> Quasi-static penetration behavior of glass-fiber-reinforced epoxy nanocomposites	721
<i>Podyman H. S., Dvoinos Ya. H., and Novik V. A.</i> Modeling the homogenization process of polyethylene compositions in a single-screw extruder with a maddock mixing element	739
<i>Vol’fson S. I., Khasanova A. D., Kazakov Yu. M., Khusainov A. D., and Baranets I. V.</i> Structure and properties of oil-and-petrol-resistant thermoplastic vulcanizates containing a modified technical carbon	751
<i>Abidi A., Ben Salem S., Bezazi A., and Boumediri H.</i> A comparative study on the effect of milling and abrasive water jet cutting technologies on the tensile behavior of composite carbon/epoxy laminates	767
<i>Kong L. M., Zheng W., Wang X. B., Wu G. D., Qi Ya. Ya., Xue Y. J., Wang B. Ch., and Xu H. M.</i> Effects of layering types and fiber off-axis angle on the mechanical properties of s-glass-fiber-reinforced composites	783

CONTENTS

<i>Kablov E. N. and Startsev V. O.</i> The influence of internal stresses on the aging of polymer composite materials. A review	805
<i>Aniskevich K. and Starkova O.</i> Evaluation of viscoplastic strain of high density polyethy-lene/multiwall carbon nanotube composites using the reaction rate relation.....	823
<i>Kudryavtsev O. A., Olivenko N. A., Sapozhnikov S. B., Ignatova A. V., Bezmelnitsyn A. V.</i> Characterization of damages and the residual flexural strength of layered composites after low-velocity impacts using indicator coatings.....	839
<i>Futch T., Kim G., and Sterkenburg R.</i> Investigating the effects that alternative turbine engine fuels have on the mechanical properties of carbon fiber/epoxy composite.....	853
<i>Anh V. T. T., Huong V. T., Nguyen P. D., and Duc N. D.</i> Nonlinear dynamic analysis of porous graphene platelet-reinforced composite sandwich shallow spherical shells	869
<i>Bakulin V. N., Boytsova D.A., and Nedbay A. Ya.</i> Parametric resonance of a three-layer cylindrical composite shell strengthened by ribs	887
<i>Mykhas'kiv V. V. and Stasyuk B. M.</i> Effective elastic moduli of a short-fiber composite with sliding contact conditions at interfaces	901
<i>Belyak O. A. and Suvorova T. V.</i> Predicting of the mechanical properties of antifriction composite materials.....	917
<i>Kudimova A. B., Nasedkin A. V., Nasedkina A. A., and Rajagopal A.</i> Computer simulation of composites consisting of piezoceramic matrix with metal inclusions and pores	933
<i>Chebakov M. I. and Danilchenko S. A.</i> Wear simulation of a spherical hinge joint with a thin composite coating	947
<i>Li Y. Q. and Zhang D. H.</i> Local stress distributions in fiber-reinforced composites with consideration of thermal stresses during the curing process	959
<i>Mirzaei A., Darbandi A. H., and Taghavian S. H.</i> Experimental investigation of the effect of adhesive-impregnated pins on the mechanical behavior of z-pinned lap shear joints	975
<i>Chatterjee D., Ghosh A., and Chakravorty D.</i> First-ply failure behavior of laminated composite skew plates of various edge conditions	989
Robert Dmitrievich Maksimov	1013

CONTENTS

<i>Kondakov I. O., Chernov A. V., Shanygin A. N., and Sapozhnikov S. B.</i> Protection of aircraft lattice shell made of UD CFRP ribs from low-velocity impacts	1025
<i>Khokhlov A. V.</i> Creep and long-term strength of a laminated thick-walled tube of nonlinear viscoelastic materials loaded by external and internal pressures	1037
<i>Khoury Moussa H., Challita G., Yared W., and Abi Rizk M.</i> Predictive analysis of the influence of a polypropylene-talc composite layer on the ring stiffness of a multilayer plastic pipe	1065
<i>Bochkarev S. V., Salnikov A. F., and Galinovsky A. L.</i> Mathematical algorithm for estimating the acoustic conductivity of the wavefront for verification of a diagnostic model in an analysis of defects in a polymer composite material	1079
<i>Polilov A. N., Sklemina O. Yu., and Tatus' N. A.</i> Design method of reinforcement structure with symmetric pairs of layers by the example of composite gas tank	1093
<i>Demichev V. I., Sergeev A. Yu., Motova T. A., Demchenko L. A., and Mikhailovskii K. V.</i> Polymer-composite vessels with a high mass perfection for the storage and transportation of a high-pressure gas	1115
<i>Akhundov V. M.</i> The implicit finite difference method in the deformation mechanics of homogeneous and piecewise homogeneous bodies	1129
<i>Starovoitov E. I. and Leonenko D. V.</i> Deformation of an elastic circular sandwich plate in a neutron flow	1155
<i>Aguib S., Chikh N., Settet A., Nour A., Meloussi M., and Djedid T.</i> Experimental analysis of the tensile behavior of a hybrid composite beam with adjustable mechanical properties	1171
<i>Lee Joon Kyu and Lee Byoung Koo.</i> Coupled flexural-torsional free vibration of an axially functionally graded circular curved beam	1181
<i>Alsaadi M.</i> A study on the delamination and flexural behavior of carbon- and aramid-fiber-reinforced epoxy composites with silicon carbide particle inclusions	1201
Contents of the journal <i>Mekhanika Kompozitnykh Materialov</i> in 2021	1215
Author's index for 2021	1220